Miele
IMMER BESSER

Laundry Care

Laundry Care

Contents

Introduction

Uncompromising Miele quality	4-5
The range	6-7
Controls	8-9
Laundry care	10-11
Textile-specific special programmes	12-13

Product advantages

Convenience	14-15
Highlights	16-17
Safety	18-19
Quality	20-21
Sustainability	22

Products

The symbols at a glance	23
W 1000 washing machine range	24-25
W 5000 washing machine range	26-27
WT 2780 WPM washer-dryer	28-31
CareCollection	32-33
Tumble dryers	34-53
Accessories	54-55
Product information	56-58

Uncompromising Miele quality

The perfect laundry care system for your favourite garments

For over hundred years Miele has led the way in laundry technology. Important milestones have included the world's first washing machine with micro-processor sensors and the revolutionary Miele honeycomb drum.

With this current range of washing machines and tumble dryers, Miele is again setting new standards by combining legendary, tried and tested Miele quality with an elegant design to achieve an exceptional laundry care system for the next generation.

Miele. Forever better

German engineered and tested to the equivalent of 20 years usage.

Miele Quality – forever better
To ensure that Miele machines will stand the test of time and provide unbeatable performance continually, we really put them through their paces in our test laboratories, before full production commences.
No other brand can claim such a strong commitment to quality, reliability and durability.

Sustainable innovations
www.mielesustainableonnovations.com.au

Company philosophy
Our aim is to produce and market durable products of the highest quality using procedures that are both economically and ecologically sound. The products should not only offer a high level of performance, efficiency and safety, but they should also have as little impact on the environment as possible, throughout their whole lifespan.

Washing machines - Tumble dryers

The range

The different Miele ranges
Modern or classic:
always perfect in function

Miele W 1000 / T 7000 range:
modern look, perfected technology.
Innovative design and simplicity of operation are the distinguishing features of this range. The distinctive front panel design follows the flow of the convex front panel.
The controls are clearly structured and visible.
The models in this range are push-in and are ideally suited for side-by-side installation as well as for stacking towers.

The W 5000 / T 8000 range:
classic convenience.
Do you prefer the classic Miele design? Or do you already own a tumble dryer from this range and wish to complement it with another appliance? Then this range is perfect for you! They are suitable for stacking, side-by-side and, for models with straight control panels, also for building under a worktop.

Washing machines - Tumble dryers

Controls

The best Miele for you
Miele washing machines are intuitive and convenient to operate. To accommodate your individual preferences and requirements, Miele offers five control concepts, each of which has a variety of helpful functions. Your new Miele - created just for you!

Single line LCD display, programme selection by rotary control dial and buttons
Clever: the most important programmes and functions - all at a glance.

Two line LCD display with large lettering, large text on the control panel, programme selection by rotary control dial , back-lit programme options
Compact: all programmes are selectable with a turn of the control.

Three line LCD display, programme selection by rotary control dial and buttons
Versatile: with a variety of practical special programmes and useful functions.

Large touch-screen display, touch-screen programme selection
Intelligent: clever touch-screen display with a large variety of special programmes and functions.

Your clothes: cherished pieces for looking good and feeling great.
And not only valuable for that ...

Do you love fashionable and individual clothes? Then the value of a washload could be worth more than the cost of the machine.

It pays then, to give your clothing the best possible care to help maintain the value of your textiles for as long as possible: with Miele washing machines.

The patented[1)] Miele honeycomb drum

Only from MIELE **Laundry care with the unique honeycomb structure**
With the unique concave honeycomb surface structure, the Miele honeycomb drum forms a fine film of water between the textiles and the drum wall which gently cushions and protects your laundry.



Unique drum perforations
The perforations in the Miele honeycomb drum are noticeably smaller than in standard drums; the rim of each individual hole is polished smooth, meaning far less mechanical stress for your textiles and no burling, even on the highest spin speeds.

1 - 8 kg capacity
Miele washing machines offer up to 8 kg capacity, allowing you to wash even your largest items, e.g. pillows and duvets easily.

Honeycomb drum

Standard drum

The result
The "WFK Research Institute for Cleaning Technology", Krefeld verifies the optimum laundry care with the Miele honeycomb drum.

Optimum care
Thread pulls and burling are clear signs of textile wear. The Miele honeycomb drum demonstrably inhibits such effects.

1) European Patent EP 0 935 687 B1

Front-loading washing machines

Textile-specific special programmes

Different textiles - different requirements. The Miele special programmes are a perfect match.

Automatic Plus
For a combined wash load of cottons and minimum iron items.

Delicates
For the gentle care of synthetic or delicate fabrics.

Denim
Protects your favourite jeans from fading and creasing.

Woollens
Gentle care for woollen and wool-blend garments - even if the care label says hand wash only.

Silks
Cleans and cares for delicate silks and any handwash textiles which do not contain wool.

Curtains
Dust particles are gently removed, then the sensitive drum rhythm reduces creasing.

Shirts
Prevents creasing of shirts and blouses and reduces ironing time.

Sportswear
Quick and gentle cleaning of synthetic sports and fitness wear.

Outerwear
Maintains the technical properties (e.g. breathability) and softness of outdoor clothing such as Gore-Tex, Sympatex, Windstopper jackets and trousers etc.

Individual care for your laundry to keep it beautiful for years to come.

Proofing
For the re-treatment of technical fabrics, microfibre or ski clothing with a proprietary proofing agent.

Cottons Eco plus
Uses up to 30% less energy in comparison with the cottons programme, thanks to a lower wash temperature. The longer run time delivers top washing performance.

Pillows
For gentle cleaning of synthetic filled pillows. Excellent rinse results, even for very thick pillows.

Down
Especially for down garments such as jackets, sleeping bags, cushions, etc. With a sensitive drum rhythm and gentle high-speed spin.

Duvets
Smooth and gentle with a sensitive drum rhythm, a special spin profile and optimum spin results.

Express 20
For rapid cleaning or freshening-up of lightly soiled textiles. Quick and effective due to the special "rinse wash".

Hygiene
Bacteria and dust mites are killed off by the high water levels and extended temperature holding times. So allergy sufferers can breathe easily.

Steam care
Damp, freshly washed textiles are effectively smoothed with steam. Reduces ironing by up to 50%.

Freshen up
Gentle, contant moistening smooths dry textiles and freshens them up. Ideal for ironing preparation.

Washing machines

Product advantages: convenience

AutoClean

This patented[1)]Miele detergent drawer is automatically rinsed out during every programme with a number of powerful bursts of water, keeping the detergent comparments spotlessly clean.

EcoFeedback

The Miele W 5873 WPS washing machine with the EcoFeedback function gives you an exact reading of current electricity and water consumption, so you are always in complete control. You can call up the prognosis for the consumption prior to the start of the selected programme. At the end of the programme the exact consumption data is displayed, which can vary according to the load.

Extra quiet function

Using a special drum rhythm and automatic "rinse hold", the Miele washing machine is even quieter on selected programmes - which you will apppreciate if the washing machine is located in the living area.

1) European Patent EP EP 2 022 884 B1

Convenient loading angle
The doors of Miele laundry appliances open especially wide. The wide opening and the ergonomic loading angle make loading and unloading more comfortable, giving you a better view into the drum and saving your back.

Drum lightning
Many Miele washing machines are fitted with maintenance-free power LEDs, which perfectly illuminate the Miele honeycomb drum, so that no item is overlooked when unloading.



Load display and dispensing recommendation
All top Miele models are equipped with this intelligent function. It helps to avoid over- or underloading the drum. In addition it offers a recommendation for optimum detergent dispensing, helping you to achieve an environmentally friendly wash with optimum results.

Professional Balance System
All Miele washing machines are able to recognise washload distribution imbalance in the drum when spinning. The textiles, even larger items are optimally redistributed by clever drum movements for best spin results.

Hygiene reminder
Washing at lower temperatures saves energy. This function reminds you after 20 low temperature wash cycles to run a wash programme of more than 60°C, to prevent the growth of bacteria and unpleasant odours in the machine.

Automatic load recognition
All Miele washing machines have the intelligent automatic load recognition function. It matches the required water volume exactly to the load size, using only as much water and energy as required for optimum washing and rinsing results.

Washing machines

Product advantages: highlights

Only from MIELE

AutoDos - Automatic detergent dispensing

AUTO DOS

Load the laundry, start the programme, that's it. The AutoDos dispensing unit for powder and liquid detergent takes care of the rest. During the water intake process, the unit automatically dispenses the correct amount of detergent, precisely adapted to the size of the load, the level of soiling and the wash programme selected. It even knows whether to use powder or liquid detergent. Perfect wash results and gentle laundry care. With average use, the containers need only to be refilled twice a year. If you want to use a specialist detergent, you simply add these to the AutoClean detergent drawer. And what's more when compared to manual dispensing, the automatic dispensing unit gives savings of up to 30% - good for both the environment and your wallet.

Miele CareCollection

Miele is the only appliance manufacture to offer a range of specialist detergents and conditioning products specifically designed for use with its laundry programmes. And when combined with automatic dispensing, designed for use with CareCollection products, Miele can offer you a complete system. Load the laundry, start the programme, that's all you have to do.



STEAM CARE

SteamCare

SteamCare technology from Miele gently and effectively smooths your textiles. According to textile type, ironing is either unnecessary or reduced by up to 50%. Another practical point: you can also freshen up textiles which have been worn for a short time with SteamCare, saving many a "small" wash.

Washing Tips
With the Miele Supertronic washing machine, you are guided step by step to a perfect wash result. Simply select the type of fabric and colour of garment, the level of soiling and the spin speed required and the optimum programme will appear in the display. Perfect laundry care has a new benchmark.

Supertronic touch controls
With new touch controls, washing tips and the option of saving up to 10 individual programmes as favourites, laundry care is easier than ever before.
The Supertronic washing machine is operated in a unique and innovative way. Backlit controls are combined with a touch display. All that is needed to select the functions is a light touch. And the flush design of the display complements the clean, modern lines of the appliance.

Only from MIELE

Stain removal programme option

STAIN REMOVAL

You can treat 22 different types of stain with Miele, targeting up to 3 simultaneously. Simply add the programme option, and the controls optimise the wash programme to deal with your laundry and the stains.
Only Miele washing machines have an integrated stain advisor: tips for efficient stain removal are given in the display.

Washing machines

Product advantages: safety and quality

Top level quality assurance
The purpose of the endurance testing laboratory is in the name: Here, washing machines and tumble dryers are put through their paces in a 5000 cycle equating to a product life of 20 years.

Other laboratories, such as the laundry care centre, are no less precise and demanding. Test laundry is loaded into machines by the basket load. And while the machines plod on, their efficiency is being monitored by high tech measuring equipment. These are the extents Miele goes to when proving the efficacy of existing programmes and developing new ones.

Alongside testing finished appliances, Miele also inspects components before, during and after fitting, as well as the packaging which must meet the highest of standards.

German engineered and tested to the equivalent of 20 years usage.

Foam regulation
If too much detergent is dispensed, this results in excessive build-up of foam. Miele washing machines balance this out automatically in the wash, spin and/or rinse phases, guaranteeing optimum wash and rinse results every time.

Optical interface
All Miele washing machines have an integral PC interface. In case of a fault, the Miele service engineer can communicate with your appliance via a laptop and quickly identify the source of the problem. This interface is also used on some models to load additional programme packets.

Emergency door release
In case of a power cut, the door can be released for removal of your washing.

Child safety
The door cannot be opened during a wash. The child safety lock also prevents the alteration or ending of wash programmes.

Washing machines

Product advantages: quality

The classic Miele chrome ring
The sleek and elegant chrome ring harmonises perfectly with the Miele housing design. It is knock-, dent- and scratch proof and looks as good as new even after many years.

Only from MIELE **The patented[1] Miele 2K door**
The W 1000 range is fitted with this innovative door. It is knock and dent proof and can withstand the greatest of stress. It is manufactured in a two-component process which is also used for safety helmets.

Only from MIELE **Enamelled front**
Miele is the only white goods manufacturer to enamel the front of all their washing machines. The superior enamelling is scratch- and corrosion-, acid- and alkaline-resistant, easy to clean and colourfast.

1) European Patent EP 2 098 627 B1

Watercontrol-System (WCS)
With WCS a water level sensor controls the water inflow. If the normal water level is not reached, inflow is stopped. If water should ingress inside the appliance, the inlet valve is closed and the water pumped away into the suds container.

Waterproof-System (WPS)
This sophisticated waterproof system offers an even higher level of protection against water damage. The inlet hose is braided with metal to protect it from external damage.

Waterproof Metal
The Waterproof Metal system incorporates a metal braided hose and float switch to detect leaks, and a time controlled safety check which automatically closes off the water inlet and drains water out of the machine if it does not fill within a specific time-frame.

Stainless steel suds container
The suds container is particularly robust and hygienic. It is supported by shock absorbers and four tension springs, and is stabilised by cast-iron counterweights for minimum wear and long life. Miele washing machines are stable and quiet, even at high spin speeds.

Professional drive
This maintenance free high-performance motor is at the heart of some of the top of the range Miele washing machines for a long appliance life. It is even quieter than other Miele motors, especially on higher spin speeds.



Tested for a 20 year lifespan
The WFK Research Institute for Cleaning Technology e.V. Krefeld tested washing machines from 6 different manufacturers. The result: only the 3 Miele machines passed the test. In order to comply with the highest quality standards, Miele subjects its appliances to stringent and prolonged tests. Test duration for Miele washing machines totals 10,000 operating hours*. This corresponds to a lifespan of 20 years. No other manufacturer tests as strenuously as Miele.

* 10,000 operating hours using a variety of wash programmes with different run times.

Washing machines

Product advantages: sustainability

Lower consumption
Miele washing machines are extremely efficient in their use of energy, whether washing full or half loads. All Miele washing machines have a 4.5 star energy efficiency rating.

Cold & hot water connection
Certain Miele washing machines models are fitted with a second water connection for hot water. If the household water is warmed by an energy-neutral method, for example by solarthermic panels and gas, this can provide a saving of approx. 47% on energy costs. (Hot water is drawn in for programmes with a selected temperature of 40°C or higher)



Saving energy with lower temperatures
Thanks to Miele's advanced wash technology, the wash temperature can be reduced on most programmes to 20°C or even to "cold", resulting in demonstrable energy savings on lightly soiled washes. Miele's CareCollection range of phosphate free detergents are also optimised to perform at low temperatures thus saving energy without compromising wash results for light soiled laundry.

What do they mean?

The symbols at a glance

Washing machines

HONEYCOMB DRUM — Honeycomb drum: a thin film of water between the drum and the laundry ensures gentle laundry care

STAIN REMOVAL — Stains option: up to 3 stains from a selection of 22 can be treated in one programme

AUTO CLEAN — AutoClean: self-cleaning detergent dispensing drawer

SILENCE — Silence: certain parameters are set for even greater reductions in noise level

ECO FEEDBACK — EcoFeedback: this appliance lets you know exactly how much electricity and water it is using

WATERCONTROL SYSTEM — Watercontrol-System (WCS): controls the water inlet and switches the machine off if there is a problem

WATERPROOF SYSTEM — Waterproof-System (WPS): like WCS, but with an additional valve and a strengthened water inlet hose

COLD+HOT WATER — Cold hot water connection: energy savings of up to 47% are possible

WATERPROOF METAL — Waterproof-Metal (WPM): like WPS but with a metal braided water inlet hose

W 1000 washing machine range

Product overview

Model-/ Name	W 1913
Drum	
Patented honeycomb drum	●
Load in kg	1–7
Intelligent washing	
Option to add additional programmes	–
Low temperature washing ("Cold", "20°C")	●
Optional hot water connection	–
Spin speed	
Min-Max spin in rpm	400–1300
Rinse hold/"Without spin"	●/●
Design	
Control panel	5° incline
Control panel colour	Lotus white
Appliance colour	Lotus white
Programme selection	
Programme selection	Rotary selector
Display	1-line
Programme sequence display	Display
Features	
Delay start up to 24 hours/Time left display/Time of day display	–/●/–
Buzzer/LED-drum lighting	●/–
Choice of operating language	●
AutoClean detergent drawer	●
Load recognition/Dosage recommendation	–/–
Wash programmes	
Automatic Plus	●
Cottons/Minimum iron/Delicates	●/●/●
Shirts/Silks/Woollens	–/–/●
Express 20/Intensive Plus	●/●
Dark garments/Denim	●
Proofing/Outerwear/First wash	–/–/–
Separate rinse/Starch	●/●
Spin	●
Programme options	
Short/Soak	●/–
Pre-wash/Pre-wash with soak function	–/●
Water Plus/Extra rinse	●/–
Extra Quiet/Stains/Steam smoothing	●/–/–
Safety	
Water protection system	WCS
Child safety/PIN code lock	●/●
Quality	
Chrome ring door/2K-door	–/●
Professional motor	–
Suds container	Stainless steel
Enamelled front	●
Installation	
Stackable/Side-by-Side	●/●
Slides under worktop/Built-under	●/–
Dimensions and consumption values (Cottons 40°C programme)	
H x W x D (cm)	85.0 x 59.5 x 65.6
Energy efficiency star rating	4.5
Warm wash energy consumption (kWh/year)	210
Water Efficiency star rating (WELS)	4
Water consumption (l/wash)	69

W 5000 washing machine range

Product overview

Model-/ Name	W 5741	W 5903 WPS	W 5873 WPS
Drum			
Patented honeycomb drum	●	●	●
Load in kg	1–7.5	1–7.5	1–8
Intelligent washing			
Option to add additional programmes	–	–	●
Low temperature washing ("Cold", "20°C")	●	●	●
Optional hot water connection	–	●	●
AutoDos: Automatic dispensing of liquid and powder detergent	–	–	–
SteamCare techonology	–	–	–
Spin speed			
Min-Max spin in rpm	400–1400	400–1400	400–1600
Rinse hold/"Without spin"	●/●	●/●	●/●
Design			
Control panel	23° angle	23° angle	23° angle
Control panel colour	Lotus white	Lotus white	Lotus white
Appliance colour	Lotus white	Lotus white	Lotus white
Programme selection			
Selection via	Rotary selector	Rotary selector	Rotary selector
Display	1-line	2-line	1-line
Programme sequience display	In display	In display	In display
Features			
Delay start up to 24 hours/Time left display/Time of day display	–/●/–	●/●/–	●/●/–
Buzzer/LED-drum lighting	●/–	●/–	●/–
Choice of operating language	●	●	●
AutoClean detergent drawer	●	●	●
Load recognition/Dosage recommendation	–/–	–/–	–/–
Wash programmes			
Automatic Plus	●	●	●
Cottons/Minimum iron/Delicates	●/●/●	●/●/●	●/●/●
Shirts/Silks/Woollens	●/–/●	–/–/●	●/–/●
Express 20/Intensive plus	●/●	–/–	●/–
Dark garments/Denim	●/●	●/●	●/●
Down duvets/Pillows/Down filled items	–/–/–	–/–/–	●/–/–
Proofing/Outerwear/First wash	●/–/–	–/–/–	●/●/–
Lingerie/Sportswear/Trainers	–/–/–	–/–/–	–/–/–
Hygiene programmes/Eco programmes/Steam programmes	–/–/–	–/–/–	1/3/–
Separate rinse/Starch/Spin	●/●/●	●/●/●	●/●/●
Programme options			
Pre-wash/Pre-wash with soak function/Soak	–/●/–	●/–/●	●/–/●
Short/Water Plus/Extra rinse	●/●/–	●/●/–	●/●/–
Extra Quiet/Stains/Steam smoothing	●/–/–	–/–/–	●/●/–
Safety			
Water protection system	WCS	WPS	WPS
Child safety/PIN code lock	●/●	●/●	●/●
Quality			
Chrome ring door/2K-door	●/–	●/–	●/–
Professional motor	–	–	●
Suds container	Stainless steel	Stainless steel	Stainless steel
Enamelled front	●	●	●
Installation			
Stackable/Side-by-Side	●/●	●/●	●/●
Slides under worktop/Built-under	●/●	●/●	●/●
Dimensions and consumption values			
H x W x D (cm)	85.0 x 59.5 x 61.5	85.0 x 59.5 x 61.5	85.0 x 59.5 x 61.5
Energy efficiency star rating	4.5	4.5	4.5
Warm wash energy consumption (kWh/year)	208	208	221
Water Efficiency star rating (WELS)	4.5	4.5	4.5
Water consumption (l/wash)	62	62	68

W 5965 WPS	W 5000 WPS Supertronic
●	●
1–8	1–8
●	●
●	●
●	●
–	●
●	●
400–1600	400–1600
●/●	●/●
23° angle	23° angle
Lotus white	Alu/silver
Lotus white	Lotus white
Rotary selector	Touch controls
3 line LCD display	Navigation display
In display	In display
●/●/●	●/●/●
●/●	●/●
●	●
●	●
●/●	●/●
●	●
●/●/●	●/●/●
●/●/●	●/●/●
●/–	●/–
●/●	●/●
●/●/●	●/●/●
●/●/●	●/●/●
–/●/●	–/●/●
1/3/2	1/3/2
●/●/●	●/●/●
●/–/●	●/–/●
●/●/●	●/●/●
●/●/●	●/●/●
WPS	WPS
●/●	●/●
●/–	●/–
●	●
Stainless steel	Stainless steel
●	●
●/●	●/●
●/●	●/●
85.0 x 59.5 x 61.5	85.0 x 59.5 x 61.5
4.5	4.5
221	221
4.5	4.5
68	68

Washer-dryers

Product advantages: the highlights

Only from MIELE

Freshen up with steam

The freshen up programme smoothes and freshens creased, unworn garments by subtly steaming them. In special programmes, e.g. shirts, steam gives a particularly crease-free finish. Ideal also for ironing preparation: dry or newly washed laundry is pre-smoothed for quicker and easier ironing.

Only from MIELE

STAIN REMOVAL

Stains option

Your Miele washer-dryer can individually treat up to 22 stain types – up to 3 simultaneously, on most wash programmes. The integrated stain advisor in the display gives you useful tips and helps you to select the right options. The wash programme is then perfectly matched to your textiles and the type of stain, for thorough cleaning and the best laundry care.

Only from MIELE

Most economical washer-dryer on the market

Only a Miele washer-dryer delivers the best wash efficiency with lowest water and energy consumption. The Miele washer-dryer achieves an excellent 4 star energy rating for washing and for drying as well as a 4 star WELS water efficiency rating.



Only from MIELE

The patented[1] Miele honeycomb drum

HONEYCOMB DRUM

In the unique Miele honeycomb drum your laundry floats softly on a cushion of water, which forms in the depressions of the sculpted honeycomb structure for the gentlest laundry care.



Only from MIELE

Rinse out fluff

After the drying cycle this special programme rinses fluff out of the condensate channel and the drum to avoid discolouration from stray fluff fibres.

Thermospin

After the wash cycle the laundry is moved through a warm current of air and is spun in stages. This reduces residual moisture, saving time and energy in drying.

SILENCE

Extra Quiet function

Using a special drum rhythm and automatic "rinse hold", the Miele washer-dryer is even quieter on selected programmes - something you will appreciate if it is located in the kitchen.

[1] European Patent EP 0 935 687 B1

WT 2780 WPM washer dryer

Product overview

Load capacity display and dispensing guide
This intelligent function helps you to avoid under- or overloading and to dispense the correct amount of detergent every time. A considerable contribution to environmentally-friendly laundry care – with optimum results.

Short programme times
All programmes are tailored to suit a variety of textile types and last only as long as is necessary to achieve perfect results. Thermospin reduces programme durations even further. For example, the Express programme takes only 90 minutes from the start to a fully dried garment.

Drum lighting
The maintenance-free power LED illuminates the Miele honeycomb drum so perfectly, that garments cannot be overlooked when unloading.

Model-/ Name	WT 2780 WPM
Drum	
Patented honeycomb drum/microperforated drum	●/–
Load in kg: washing/drying	5.5/2.5
Intelligent washing and drying	
Option to add additional programmes	
Low temperature washing ("Cold", "20°C")	●
Optional hot water connection	–
Spin speed	
Min-Max spin in rpm	400–1600
Rinse hold/"Without spin"	●/●
Design	
Control panel	Straight
Control panel colour	Lotus white
Appliance colour	Lotus white
Programme selection	
Programme selection	Rotary selector
Display	3-line
Programme sequience display	Display
Features	
Delay start up to 24 hours/Time left display/Time of day display	●/●/●
Buzzer/LED-drum lighting	●/●
Choice of operating language	●
Automatic rinse out fluff	●
Load recognition/Dosage recommendation	●/●
Washing and drying programmes	
Automatic Plus	–/●
Cottons/Minimum iron/Delicates	●/●/●
Shirts/Silks/Woollens	●/●/●
Express 20/Intensive Plus/Soft toys	●/–/●
Dark garments/Denim/Hygiene	●/●/●
Proofing/Outerwear/First wash	●/●/●
Lingerie/Sportswear/Trainers	–/●/●
Down items/Pillows/Curtains	–/●/●
Separate rinse/Starch	●/●
Drain/Spin	●
Programme options	
Short	●
Soak/Pre-wash/Water plus	●/●/●
Low temperature	●
Extra Quiet/Stains	●/●
Safety	
Water protection system	WPM
Child safety/PIN code lock	●/●
Quality	
Chrome ring door/2K-door	●/–
Suds container	Stainless steel
Enamelled front	●
Installation	
Stackable/Side-by-Side	–/–
Slides under worktop/Built-under	●/●
Dimensions and consumption values (Cottons 40°C programme)	
H x W x D (cm)	85.0 x 59.5 x 58
Energy efficiency star rating (washing)	4
Warm wash energy consumption (kWh/year)	200
Water Efficiency star rating (WELS)	4
Water consumption (l/wash)	51
Energy efficiency star rating (drying)	4
Energy consumption (kWh/year) (drying)	77

Laundry care

CareCollection

Miele UltraWhite detergent

For the best wash results in Miele washing machines.

- Powerful formula with active oxygen – for a dazzling white wash
- Excellent stain removal even at low temperatures
- Ideal for soaking/pre-treating stubborn stains
- Highly concentrated
- Temperature range: Cold-95°C
- Contents: 2.5 kg
- For 48 wash loads
- Phosphate free

Miele UltraColor liquid detergent

For the best wash results for coloured and dark textiles in Miele washing machines.

- Colour protection formula for brighter colours
- Excellent stain removal even at low temperatures
- Temperature range: Cold-60°C
- Contents: 2 l
- For 33 wash loads
- Phosphate free

Miele WoolCare detergent

For the best wash results for woollens, silks and any delicate fabrics in Miele washing machines.

- Colour protection formula for brighter colours
- Special care complex containing wheat protein
- Fibre protection against felting
- Very concentrated
- Temperature range: Cold-60°C
- Contents: 2 l
- For 50 wash loads
- Phosphate free

Miele Fabric softener

For the best results in Miele washing machines.

- Fresh, natural fragrance
- For softer laundry
- Contents: 2 l
- For 66 wash loads
- Phosphate free

Miele UltraColor detergent

For the best wash results for coloured and dark textiles in Miele washing machines.

- Colour protection formula for brighter colours
- Excellent stain removal even at low temperatures
- Temperature range: Cold-60°C
- Contents: 1.8 kg
- For 48 wash loads
- Phosphate free

Miele Down detergent

For the best wash results in Miele washing machines.

- Ideal for pillows, sleeping bags or expensive down garments
- Retains the elasticity of the feathers
- Retains the breathability of the down fabric
- Down retains its loft and does not become lumpy
- Contents: 250 ml
- For 14 wash loads
- Phosphate free

Miele Sportswear detergent

For best wash results in Miele washing machines.

- Perfect for breathable sportswear
- Built-in odour absorption neutralises unpleasant odours
- Cleans and cares for colours
- Retains the properties of fleece
- Retains shape stability of textiles
- Contents: 250 ml
- For 14 wash loads
- Phosphate free

Miele Sensitive Skin detergent

For the best wash results in Miele washing machines.

- Milder formula with active oxygen
- Excellent stain removal even at low temperatures
- Very concentrated
- Temperature range: Cold-95°C
- Contents: 1.8 kg
- For 48 wash loads
- Phosphate free

Tumble dryers

Drying systems

The Miele drying systems
Tumble dryers are a convenient way to dry laundry in a short time. The principle is that warm air is passed through the garments to remove residual moisture from the fibres. Miele offer two different types of drying system. The main features of each are briefly explained here.

Condenser tumble dryers
A condenser tumble dryer allows flexibility of positioning, as the only connection required is an electrical socket. Instead of ducting moist air to the outside, condenser dryers cool it in a closed circuit. The moisture condenses and is collected in an integrated container, which must be emptied regularly. Miele condenser dryers also have the option of emptying condensate via an integrated condensate drain hose into a sink or, suitable waste pipe.
Condenser dryers achieve a 2 star energy efficiency rating.

Heat pump tumble dryers
The very economical Miele heat pump dryer offers the same convenience and flexibility as a condenser dryer, but uses up to 50% less energy. This type of drying system is particularly kind to your laundry and uses up to 22% less electricity than the classification required for achieving energy efficiency rating of 6 stars. This exemplary Miele appliance concept was awarded the certificate* for “Best customer benefit” for the best combination of energy consumption, noise level, drying time and condenser dryer efficiency.

Certificate

*SLG Test and Certification Ltd.

Your clothes: cherished pieces to look good and feel great in. And not only valuable for that…

The value of a dryer load, depending on the contents, can amount to more than that of the tumble dryer. A good reason to maintain the value of your laundry for as long as possible. Useful special programmes (see pp.36 - 37) and intelligent functions such as PerfectDry or the TwinPower system (pp.38 – 39) help to dry your laundry gently and economically.

The patented[1)] Miele honeycomb drum

Only from MIELE

HONEYCOMB DRUM

Laundry care with the air-cushion effect

Your laundry floats softly on an air cushion which forms in the depressions of the sculpted honeycomb structure for a far gentler and less creased drying result, which makes ironing easier too.

Laundry care with a special lifting action

Thanks to the unique honeycomb structure, the laundry is drawn higher up the rotating drum, allowing it to hover longer in the warm air, subjecting it to less mechanical handling.

1-7 kg

1 – 7 kg drum capacity

The rounded soft ribs of the Miele honeycomb drum ensure gentle laundry fall with larger loads or large items. With a capacity of up to 7 kg, Miele has the right appliance to suit every need.

TESTED QUALITY
HOHENSTEINER INSTITUTE
TYPE TESTED
TUMBLE DRYER DRUM
✓ IMPROVED SMOOTHING
✓ EVEN DRYING
REPORT-NO.: FI-03.2.6907

Better results

The independent Hohensteiner Institute confirm that Miele tumble dryers dry laundry more evenly and with fewer creases.

[1)] European Patent EP 1 293 594 B 1

Tumble dryers

Special programmes

Different fabrics, different requirements -
Miele special programmes are a perfect match.

Automatic Plus
For a mixed load of cotton and easy care garments.

Sportswear
Makes sure your sportswear is always ready to go.

Outerwear
Maintains the functional properties of your high-value outdoor clothing and protects you from wind and weather.

Shirts
Ensures less creasing for shirts and blouses and cuts down on ironing.

Denim
Protects your favourite jeans from faded stripes and creases.

Cottons
Excellent drying results for cotton, linen or cotton mix fabrics, e.g. table linen, towelling, underwear, etc.

Delicates
Gives optimum care for synthetics.

Minimum iron
Gentle drying of minimum iron fabrics with a special drum rhythm for reduced creasing.

Drying basket programme
This special programme is great for drying items which are not suitable for drying using mechanical action, such as sport shoes and soft toys, as the drum does not rotate.

Individual care for your laundry to keep it beautiful for years to come.

Woollens handcare
For the gentlest care of your woollens – makes your favourite items plump and fluffy.

Express
For rapid drying of smaller loads.

Proofing
Optimum effectiveness is achieved by thermally fixing the proofing agent.

Pillows
Perfect even drying for pillows, whether down, feather or synthetic filling.

Cotton hygiene / minimum iron hygiene
Bacteria and dust mites are reliably killed by a special temperature/time profile, so allergy sufferers can breathe easily.

Gentle smoothing
Dries damp laundry crease-free and visibly smoothes dry textiles, reducing ironing by up to 30%.

Silks handcare
For gentle drying of your silk garments with less creasing.

Gentle tumble
With this option on the heat-pump dryer, drum rotation is reduced making it excellent for delicate garments and items that do not tolerate too much mechanical action.

Freshen up
Freshens up clothes and cuddly toys and can save a “proper” wash.

Tumble dryers

Product advantages: highlights

Exclusive to MIELE

PerfectDry: perfectly dried laundry

The patented[1)] PerfectDry system continually measures the remaining humidity of the laundry and so ensures perfect drying: reliably, regardless of water quality. That is by no means guaranteed for appliances without PerfectDry, for the constitution of the water determines its electrical conductivity, which is critical in moisture-controlled drying.
PerfectDry recognises the conductivity of the water and customises the drying process accordingly, preventing over- or under-drying, and ensuring the desired degree of dryness every time.

[1)]German Patent: DE 197 19 661 C2

Intelligent drum reversal
A Miele tumble dryer alters the direction of its drum rotation at irregular intervals, preventing tangles and ensuring even drying with fewer creases.



TwinPower system
In Miele heat pump dryers, laundry direction is also reversed using an intelligent system of two separate motors, one for the drum and one for the fan (TwinPower). The visible result: your laundry is dried gently and evenly with fewer creases.

Exclusive to MIELE

Integrated condensate drain hose - patented[2)]
All Miele condenser dryers, including the heat pump dryers, have an integrated condensate drain hose with hose stowage, allowing you to drain the water directly into the sink or into the drain, and eliminating the need to empty the condensate container.

2) European Patent EP 1 186 697 B1

Tumble dryers

Product advantages: convenience and quality

Crease care
If you cannot remove your laundry immediately at the end of the programme, crease care ensures that the textiles are gently moved at regular intervals to prevent the formation of creases.

Drum lighting
All Miele tumble dryers in this brochure are equipped with a drum light, illuminating the honeycomb drum perfectly, so that no item can be overlooked when unloading.

Convenient loading angle
Miele doors can be opened particularly wide. With the large loading door and the ergonomic drum loading angle, loading and unloading a Miele tumble dryer is extremely convenient. You have a better view into the drum and: your back is spared.

Extremely quiet
The casing and airways of the Miele heat pump dryer are constructed to minimise air current and oscillation noises, so you can use your tumble dryer anytime, without disturbing anyone.

Exclusive to MIELE

Enamelled front
Miele is the only manufacturer which enamels the front of all of its tumble dryers. The superior surface is scratch- and corrosion, acid and alkaline resistant, easy to clean and colourfast.

Fluff filters
In Miele condenser dryers, the circulating air flow is very effectively kept clear of fluff by two filters in the door. This guarantees problem-free operation, long life and more convenience: for in comparison to competitors, the condenser unit in Miele dryers rarely needs to be cleaned. Filters are accessible and easy to clean.

For Miele heat pump dryers there is an additional fine filter, which is also easy to clean, for a longer appliance life.

Tumble dryers

Product advantages: safety

Optical interface
All Miele tumble dryers have an integrated optical interface. In the event of a fault, the service engineer can communicate with your tumble dryer via a laptop to diagnose the cause of the fault quickly.

Empty out container indicator light
An LED signal or information in the display indicates when the condensate container needs to be emptied. (Does not apply with automatic condensate drainage)

Clear airways indicator light
The “clear airways” indicator light warns of fluff or foreign bodies in the airways. Cleaning the fluff filters and condenser unit (for the heat pump dryer) will restore the dryer to efficient operation.

Buzzer
When the drying programme is finished, a buzzer sounds, so your laundry does not have to spend longer than necessary in the drum.

Tumble dryers

Product advantages: sustainability

The best way to dry your laundry
Which method of drying laundry is the best today – ecologically and economically? Line drying in the garden is not always possible for everyone and at any time. Line drying in a (heated) room is not recommended from an ecological point of view[1]. The additional air humidity in the room requires increased ventilation, otherwise damage from damp and mould might occur. This results in considerable heat loss.
Miele tumble dryers are, with their excellent energy efficiency, the ecological and economical solution. The patented Miele honeycomb drum[2], the patented PerfectDry system[3], and the intelligent special programmes also provide the gentlest care for your laundry. You can feel the difference: with a Miele tumble dryer your laundry will always come out soft and fluffy.
Miele tumble dryers are convenient and economical use. All conventional Miele condenser dryers achieve a 2 star energy efficiency rating. You can dry even more economically with a Miele EcoComfort heat pump dryer: energy costs are almost halved. The outstanding statistic: 47% more economical than a 2 star energy rated condenser dryer.

Responsibility for the future
The progressive climate change and ever-dwindling energy resources are considerable challenges to Miele both today and in the future. Environmental considerations play a large part in every respect at Miele: Miele appliances are all recyclable and are extremely economical in electricity and water consumption. Environmentally friendly technology is an integral to production. The environment is also at the forefront of our logistics and sales operations.

Save energy - with Miele
Miele EcoComfort heat pump dryers set new standards in energy efficiency: they use only approximately half as much energy as standard condenser dryers. With Miele heat pump dryer you can appreciably reduce energy costs and help the environment.

HEAT PUMP

Miele EcoComfort – the saving miracle
The basis of the Miele heat pump dryer is the special heat pump technology, where dry air is warmed with a heat pump. In contrast to standard condenser dryers, the heat produced is continually re-used, enabling the Miele EcoComfort tumble dryer to achieve a 6 star energy efficiency rating.

1) Source: Environment Journal dated 14.03.2008
2) European patent EP 1 293 594 B 1
3) German patent DE 197 19 661 C2

What do they mean?

Symbols at a glance



Tumble dryers

HONEYCOMB DRUM

Honeycomb drum: Cushioning effect for extra gentle laundry care

1-7 kg

Honeycomb drum: 1 - 7 kg load capacity

1-8 kg

Honeycomb drum: 1 - 8 kg load capacity

PERFECT DRY

PerfectDry: for perfect drying results – the drying level required is always achieved

HEAT PUMP

Heat pump technology: energy savings made by re-using heat for drying

GENTLE SMOOTHING

Gentle smoothing: Special programme to smooth creases in damp or dry laundry

T 7000 tumble dryer range

Product overview

Model/name	T 7944 C	T 7950 WP
Drum		
Patented honeycomb drum	●	●
Load in kg	1–7	1–7
Intelligent drying	●	●
Perfect Dry-drying system	●	●
Drum reverse action	●	●
Timed drying	●	●
Design		
Control panel	5° incline	5° incline
Control panel colour	Lotus white	Lotus white
Appliance colour	Lotus white	Lotus white
Programme selection		
Programme selection	Rotary selector	Rotary selector
Display	7-segment	7-segment
Programme sequence display	●	●
Features		
Delay start up to 24 hours/Time left display/Time of day display	●/●/–	●/●/–
Buzzer	●	●
Choice of operating language	–	–
Drying programmes		
Automatic Plus	●	●
Cottons/Minimum iron/Delicates	●/●/●	●/●/–
Shirts/Silks handcare/Woollens handcare	–/–/●	●/–/●
Express/Pillows	●/–	●/–
Denim/Sportswear	●/–	●/–
Proofing/Outerwear	–/–	●/–
Gentle smoothing	●	●
Warm air/Cool air/Hygiene	●/●/–	●/–/–
Basket programme	–	–
Programmable options		
Short	–	–
Anti-crease	●	●
Low temperature/Gentle tumble	●/–	–/●
Freshen up	–	–
Safety		
PIN code lock	–	–
Optical interface	●	●
Quality		
Enamelled front	●	●
Installation		
Stackable/Side-by-Side	●/●	●/●
Slides under worktop/Built-under	●/–	●/–
Dimensions and consumption values		
H x W x D (cm)	85.0 x 59.5 x 63.4	85.0 x 59.5 x 63.4
Energy efficiency star rating	2	6
Energy consumption (kWh/year)	292	127

Miele
SOFTRONIC
T 7550 WP
EcoComfort

T 8000 tumble dryer range

Product overview

Model/name	T 8823 C	T 8861 WP	T 8929 WP
Drum			
Patented honeycomb drum	●	●	●
Load in kg	1–7	1–8	1–7
Intelligent drying			
Perfect Dry-drying system	●	●	●
Drum reverse action	●	●	●
Timed drying	●	●	●
Drying system			
Condenser/Vented	●/–	●/–	●/–
Condensed water container	●	●	●
Integrated condensed water outlet	●	●	●
Design			
Control panel	23° angle	23° angle	23° angle
Control panel colour	Lotus white	Lotus white	Lotus white
Appliance colour	Lotus white	Lotus white	Lotus white
Programme selection			
Programme selection	Rotary selector	Rotary selector	Rotary selector
Display	7-segment	7-segment	3 line LCD display
Programme sequence display	●	●	In display
Features			
Delay start up to 24 hours/Time left display/Time of day display	●/●/–	●/●/–	●/●/●
Buzzer	●	●	●
Drum lighting	●	●	●
Choice of operating language	–	–	●
Drying programmes			
Automatic Plus	●	●	●
Cottons/Minimum iron/Delicates	●/●/●	●/●/–	●/●/●
Shirts/Silks handcare/Woollens handcare	●/–/●	●/–/●	●/●/●
Express/Pillows	●/–	●/–	●/●
Denim/Sportswear	●/–	●/–	●/●
Proofing/Outerwear	●/–	●/●	●/●
Gentle smoothing	●	●	●
Basket programme	–	–	●
Timed drying Cool air/Warm air/Hygiene	●/●/–	–/●/●	●/●/●
Programmable options			
Short	–	–	–
Anti-crease	●	●	●
Low temperature/Gentle tumble	●/–	–/●	–/●
Freshen up	–	–	●
Safety			
PIN code lock	–	–	●
Optical interface	●	●	●
Quality			
Enamelled front	●	●	●
Installation			
Stackable/Side-by-Side	●/●	●/●	●/●
Slides under worktop/Built-under	●/●	●/●	●/●
Dimensions and consumption values			
H x W x D (cm)	85.0 x 59.5 x 58.7	85.0 x 59.5 x 59.6	85.0 x 59.5 x 59.6
Energy efficiency star rating	2	6	6
Energy consumption (kWh/year)	292	149	127

T 8001 WP Supertronic
●
1–7
●
●
●
●/–
●
●
23° angle
Alu/Silver
Lotus white
Touch controls
Navigation display
In display
●/●/●
●
●
●
●
●/●/●
●/●/●
●/●
●/●
●/●
●
●
●/●/●
–
●
–/●
●
●
●
●
●/●
●/●
85.0 x 59.5 x 59.6
6
127

Laundry care

Accessories

Washer-dryer stacks

Most Miele washing machines and tumble dryers can be combined into a stack to save space. The washing machine must always be on the bottom.

A stacking kit is required for complete stability. The table on the right will show you which one is best for your appliances. All stacking kits are finished in lotus white, to match Miele appliances - some other colours are also available.

WTV 407

The stacking kit features and integrated push-pull worktop. Designed to stack W 3000/W 5000 washing machines and T 8000 tumble dryers.

WTV 412

Universal stacking kit without push-pull worktop for all Miele washing machines and tumble dryers

WTV 414

The WTV 414 has a push-pull worktop and an integrated accessory compartment, e.g. for operating instructions for the appliance. Designed for stacking W 1000/T 7000 models

Tumble dryer	T 200 T 4000 T 8000	T 200 T 4000 T 8000		T 200 T 4000 T 8000	T 7000	T 200 T 4000 T 8000	T 7000	T 7000
	WTV 406	WTV 407*		WTV 412	WTV 412	WTV 412	WTV 412	WTV 414
								
Deep ca.	60 cm*	60 cm*		60 cm*	63 cm*	63 cm	63 cm	63 cm
High ca.	170 cm	170 cm		170 cm	170 cm	170 cm	170 cm	173 cm
Washing mach-ine	**W 500** **W 2000** **W 3000** **W 5000** straight panel	**W 500** **W 2000** **W 3000** **W 5000** angled or Comfort panel		**W 500** **W 2000** **W 3000** **W 5000** universal	**W 500** **W 2000** **W 3000** **W 5000** straight or angled panel	**W 1000**	**W 1000**	**W 1000**

* for W 5000: + approx. 4 cm.

Washing machines
For combination with Comfort panel: H = approx. 173 cm, D = 65 cm



W 1000 + T 7000
a) Min. safety distance from wall: 2 cm
b) Height: Stacking kit with pull-out shelf: max. 172 cm
Stacking kit without pull-out shelf: max. 170 cm
c) Depth of washer dryer stack: approx. 65 cm



W 5000 + T 8000
a) Min. safety distance from wall: 2 cm
b) Height:
Stacking kit with pull-out shelf: max. 169 cm
Stacking kit without pull-out shelf: 170 cm
c) Depth of washer dryer stack: approx. 63 cm

Installation surface
A concrete floor is the most suitable installation surface for a washing machine. If installed on wooden floorboards there is a risk of it vibrating during the spin. We recommend the use of a plywood base (at least 59 x 52 x 3 cm). It should span several joists and be bolted to the joists and not just to the floorboards. Check for the presence of any pipework and cabling first. If possible install the machine in a corner, as this is usually the most stable part of the floor.

If the washing machine or tumble dryer is to be installed on a raised plinth, Miele recommend that only concrete or bricked plinths be used. The units must be secured against slippage via retaining clips available from Miele spare parts. Stacked units must not be installed on a raised plinth.

Hinging
The tumble dryers are all supplied left-hand hinged and the washing machines and washer dryer are supplied with right-hand hinging.

Washer and tumble dryer stack
Where space is at a premium, a Miele tumble dryer can be fitted on top of the corresponding washing machine by using the appropriate WTV stacking kit (available to order). The result is that two appliances can be accommodated on a footprint of less than half a square metre.
The W 5000 washing machines and T 8000 tumble dryers can be fitted under a continuous worktop using the appropriate UBS – W/T building-under kit (available to order).

Product Information

Miele						
Model no	**W 1913**	**W 5741**	**W 5903 WPS**	**W 5873 WPS**	**W 5965 WPS**	**W 5000 WPS Supertronic**
Matching tumble dryer	**T 7944 C T 7950 WP**	**T 8823 C T 8861 WP**	**T 8861 WP**	**T 8861 WP**	**T 8929 WP**	**T 8001 WP Supertronic**
Accessories						
Stacking kit for matching dryer (with shelf)	WTV 414	WTV 407	WTV 407	WTV 407	WTV 407	WTV 407
Stacking kit for matching dryer (without shelf)	WTV 412	WTV 412	WTV 412	WTV 412	WTV 412	WTV 412
Performance/Consumption data[1])						
Energy efficiency star rating[2])	4.5	4.5	4.5	4.5	4.5	4.5
Warm wash energy consumption (kWh/year)	210[3])	208[3])	208[3])	221[4])	221[4])	221[4])
Water Efficiency star rating (WELS)[5])	4	4.5	4.5	4.5	4.5	4.5
Water consumption (l/wash)	69[6])	62[6])	62[6])	68[7])	68[7])	68[7])
Features						
Direct enamel front	●	●	●	●	●	●
Removable panels	●	●	●	●	●	●
Ergonomic door opening (30 cm)	–	●	●	●	●	●
Extra large ergonomic door opening (33 cm)	●	–	–	–	–	–
Ergonomic loading angle	●	–	–	–	–	–
AutoDos: Automatic detergent dispensing	–	–	–	–	–	●
SteamCare technology	–	–	–	–	●	●
Programmable options						
Choice of different languages	●	●	●	●	●	●
12 h/24 h clock	–	–	–	–	●	●
Temperature °C/°F	●	●	●	●	●	●
Display brightness/contrast	●	●	●	●	●	●
Suds cooling	●	●	●	●	●	●
Gentle action	●	●	●	●	●	●
Soak time	–	–	●	●	●	●
Longer pre-wash Cottons	●	●	●	●	●	●
Buzzer	●	●	●	●	●	●
Keypad tones	●	●	●	●	●	●
Energy-saving stand-by mode	●	●	●	●	●	●
Anti-crease action on/off	●	●	●	●	●	●
Lock code	●	●	●	●	●	●
Memory	●	●	●	●	●	●
Water intake	–	–	●	●	●	●
Safety features						
Water Control system	●	●	–	–	–	–
Waterproof system	–	–	●	●	●	●
Check drain/inlet indicators	●	●	●	●	●	●
Automatic safety door lock	●	●	●	●	●	●
In-operation lock	●	●	●	●	●	●
Fault indication	●	●	●	●	●	●
Emergency door release	●	●	●	●	●	●
Easy access manual drain	●	●	●	●	●	●
Water inlet filter	●	●	●	●	●	●
Dimensions and weight						
Height (cm)	85	85	85	85	85	85
Width (cm)	59.5	59.5	59.5	59.5	59.5	59.5
Depth (cm)	65.6	61.5	61.5	61.5	61.5	61.5
Depth with door open (cm)	107.4	99.3	99.3	99.3	99.3	99.3
Adjustable height (cm)	0.8	0.8	0.8	0.8	0.8	0.8
Stacked height: WTV with/without shelf (cm)	172/170	169/170	169/170	169/170	169/170	169/170
Net weight (kg)	99	96	96	98	98	98
Electricity and Water Connections						
Voltage (50 Hz) V	230	230	230	230	230	230
Fuse rating A	10	10	10	10	10	10
Total rated load kW	2.3	2.3	2.3	2.3	2.3	2.3
Power cable with plug m	1.6	1.6	1.6	1.6	1.6	1.6
Connection to hot/cold water via 1.6 m pressure hose						
with 3/4 inch (19 mm) threaded union	cold	cold	hot/cold	hot/cold	hot/cold	cold
Water supply pressure min. - max. bar	1-10	1-10	1-10	1-10	1-10	1-10
Drain connection hose m	1.5	1.5	1.5	1.5	1.5	1.5
Maximum drain pump height/length m	1/5	1/5	1/5	1/5	1/5	1/5
Radio, TV & mains interference suppressed	●	●	●	●	●	●
Operating instructions and warranty	●	●	●	●	●	●

[1]) According to AS/NZS 2040.2
[2]) For more details, please ref. www.energyrating.gov.au
[3]) using Cottons 40°C program seven times per week, when tested in accordance with Standard AS/NZS 2040.2
[4]) using Cottons Eco 40°C program seven times per week, when tested in accordance with Standard AS/NZS 2040.3
[5]) For more details, please ref. www.waterrating.gov.au
[6]) using Cottons 40°C program, when tested in accordance with Standard AS/NZS 6400
[7]) using Cottons Eco 40°C program, when tested in accordance with Standard AS/NZS 6401
N.B. These appliances conform to Australian Safety Regulations and must be installed in accordance with national and local regulations by a competent person.

Miele						
Model no	**T 7944 C**	**T 7950 WP**	**T 8823 C**	**T 8861 WP**	**T 8929 WP**	**T 8001 WP Supertronic**
Drying type						
Condenser	●	●	●	●	●	●
Matching washing machine	**W 1913**	**W 1913**	**W 5741**	**W 5741 W 5873 WPS W 5903 WPS**	**W 5965 WPS**	**W 5000 WPS Supertronic**
Accessories						
Stacking kit for matching washing machine (with shelf)	WTV 414	WTV 414	WTV 407	WTV 407	WTV 407	WTV 407
Stacking kit for matching washing machine (without shelf)	WTV 412	WTV 412	WTV 412	WTV 412	WTV 412	WTV 412
Performance/Consumption data[1])						
Energy Efficiency Star rating[2])	2	6	2	6	6	6
Energy consumption (kWh/year)	263[3])	127[3])	292[3])	149[4])	127[3])	127[3])
Features						
Perfect Dry LED	●	●	●	●	●	●
Drain pump on condenser dryer	●	●	●	●	●	●
Integrated condensate drainage	●	●	●	●	●	●
Heat exchanger with: heater bank/refrigerant	●/–	–/●	●/–	–/●	–/●	–/●
Fault diagnosis indication	●	●	●	●	●	●
Plinth filter	–	●	–	●	●	●
Drum lighting	●	●	●	●	●	●
Programmable options						
Choice of different languages	–	–	–	–	●	●
Extended drying option	●	●	●	●	●	●
Anti-crease	●	●	●	●	●	●
Keypad tones	●	●	●	●	●	●
Energy saving standby mode	●	●	●	●	●	●
Extended cooling down period	●	●	●	●	●	●
Buzzer	●	●	●	●	●	●
Memory on/off	●	●	●	●	●	●
Soft water setting	●	●	●	●	●	●
Drying stage indication	●	●	●	●	●	●
Clean out airways indication	●	●	●	●	●	●
Empty out container indication	●	●	●	●	●	●
Safety lock	●	●	●	●	●	●
Dimensions and weight						
Height (cm)	85	85	85	85	85	85
Width (cm)	59.5	59.5	59.5	59.5	59.5	59.5
Depth (cm)	63.4	63.4	58.7	59.6	59.6	59.6
Depth with door open (cm)	107.4	107.4	106.2	106.2	106.2	106.2
Net weight (kg)	52	70	51	61	69	69
Electrical Connection and Plumbing						
Voltage (50 Hz) V	230	230	230	230	230	230
Fuse rating A	10	10	10	10	10	10
Total rated load kW	2.14	1.10	2.14	1.10	1.10	1.10
Power cable with plug m	2	2	2	2	2	2
Drain hose length m	1.5	1.5	1.5	1.5	1.5	1.5
Maximum delivery head/drain hose length m	1.5/4	1.5/4	1.5/4	1.5/4	1.5/4	1.5/4
Radio, TV & mains interference suppressed	●	●	●	●	●	●
Operating instructions and warranty	●	●	●	●	●	●

[1]) According to AS/NZS 2442.2
[2]) For more details, please ref. www.energyrating.gov.au
[3]) using Cottons Normal Plus program once per week, when tested in accordance with Standard AS/NZS 2442.2
[4]) using Cottons Extra dry program once per week, when tested in accordance with Standard AS/NZS 2442.3
N.B. These appliances conform to Australian Safety Regulations and must be installed in accordance with national and local regulations by a competent person.

Product Information

Miele	
Model no	**WT 2780 WPM**
Capacity	
5.5 kg HoneycombCare drum	●
Washing capacity (kg)	5,5
Drying capacity (kg)	2,5
Colour options	
Lotus White	●
Performance/Consumption data1)	
Energy Efficiency Star rating[3])	4
Energy consumption (kWh/year)	77[4])
Energy Efficiency Star rating[3])	4
Energy consumption (kWh/year)	200[5])
Water Efficiency Star rating (WELS)[6])	4
Water consumption (l/wash)	51[7])
Spin speed options	
Minimum rpm	400
Maximum rpm	1600
Rinse Hold and No Spin	●
Controls and display	
Control panel Straight	Straight
Dial control	●
Plus LCD display	●
Buzzer option	●
Programme sequence indication	●
Excess detergent indication	●
Features	
Direct enamel front	●
Removable panels	●
Delay start	●
Time remaining display	●
Ergonomic door opening (30 cm)	●
Unique Honeycomb Care	●
Load size and dispensing recommendation	●
Drum lighting	●
Anti-crease action	●
Dryer functionality	Condenser
Automatic moisture sensor drying	●
Drying overload indicator	●
Drain pump for condenser dryer	●
Maximum no. of drying levels	7
AutoClean detergent dispenser drawer	●
Standard washing and drying programmes (wash temp. shown in brackets)	
Automatic plus (Cold – 40°C)	●
Cottons (Cold – 95°C)	●
Minimum iron (Cold – 60°C)	●
Delicates (Cold – 60°C)	●
Woollens (Cold – 40°C)	●
Silks (Cold – 30°C)	●
Express 20 (Cold – 40°C)	●
Denim (Cold – 60°C)	●
Shirts (Cold – 60°C)	●
Dark garments (Cold – 40°C)	●
Outerwear (Cold – 40°C)	●
Sportswear (Cold – 60°C)	●
Trainers (Cold – 40°C)	●
Proofing (40°C)	●
Soft toys (Cold – 40°C)	●
Hygiene (30 – 95°C)	●
Pillows (Cold – 95°C)	●
First Wash (Cold – 40°C)	●
Special wash programmes	
Curtains (Cold – 40°C)	●
Separate rinse	●
Starch	●
Drain/Spin	●
Special drying programmes	
Timed drying warm air	●
Timed drying cool air	●
Smoothing	●
Freshen up	●
Rinse out fluff	●

Miele	
Model no	**WT 2780 WPM**
Additional wash programme options	
Standard running times with Short option	●
Delay start	●
Water plus	●
Stains	●
Extra quiet	●
Extra rinse	●
Soak option	●
Pre-Wash	●
Additional drying programme options	
Low temperature	●
Programmable options for washing and drying	●
Choice of different languages	●
Buzzer volume (loud/normal/off)	●
Keypad tones (on/off)	●
Energy-saving stand-by mode	●
12 h/24 h clock	●
Temperature °C/°F	●
Display brightness/contrast	●
Lock code	●
Anti-crease action (on/off)	●
Distribution controller	●
Programmable options for washing	
Memory	●
Gentle action	●
Suds cooling	●
Longer pre-wash cottons	●
Programmable options for drying	
Door lock	●
Drying levels	●
Extended cool down	●
Safety features	
Water Control System	●
Check drain/inlet indication	●
Automatic safety door lock	●
In-operation lock	●
Fault diagnosis	●
Emergency door release	●
Easy access manual drain	●
Water inlet filter	●
Dimensions and weight	
Height (adjustable) (cm)	85
Width (cm)	59,5
Depth (cm)	58
Depth with door open (cm)	97,5
Net weight (kg)	101
Electrical Connection	
Voltage (50 Hz) V	230
Fuse rating A	10
Total rated load kW	2,3
Power cable with plug m	1,5
Water connection via 1.5 m pressure hose with 3/4 inch (19 mm) threaded union	cold
Water supply pressure min. - max. bar	1–10
Drain connection m	1,5
Maximum drain pump height/length m	1/5
Radio, TV & mains interference suppressed	●
Operating instructions and warranty	●

[1]) According to AS/NZS 2040.2 (washing) & AS/NZS 2442.2 (drying)
[2]) These programmes can also be set for timed drying for periods of between 15 minutes and 2 hours
[3]) For more details, please ref. www.energyrating.gov.au
[4]) using Cottons Normal program once per week, when tested in accordance with Standard AS/NZS 2442.2
[5]) using Cottons 40°C program seven times per week, when tested in accordance with Standard AS/NZS 2040.2
[6]) For more details, please ref. www.waterrating.gov.au
[7]) using Cottons 40°C program, when tested in accordance with Standard AS/NZS 6400

N.B. These appliances conform to Australian Safety Regulations and must be installed in accordance with national and local regulations by a competent person.

Miele
IMMER BESSER

Miele Australia Pty. Ltd.
ACN 005 635 398
ABN 96 005 635 398

Miele Australia Pty. Ltd.
Head Office
1 Gilbert Park Drive
Knoxfield VIC 3180

Telephone 1300 4 MIELE (1300 464 353)

Miele Gallery Knoxfield
1 Gilbert Park Drive
Knoxfield VIC 3180

Miele Gallery South Melbourne
208-210 Coventry Street
South Melbourne VIC 3205

Miele Gallery and Office Sydney
3 Skyline Place
Frenchs Forest NSW 2086

Miele Gallery and Office Brisbane
39 Harvey Street North
Eagle Farm QLD 4009

Miele Gallery and Office Adelaide
83 Sir Donald Bradman Drive
Hilton SA 5033

Miele Gallery and Office Perth
205-207 Stirling Highway
Claremont WA 6010

www.miele.com.au

Miele New Zealand Limited
Miele Gallery and Head Office
Unit L, 10-20 Sylvia Park Road
Mt. Wellington, Auckland, 1060
Telephone 0800 264 353

www.miele.co.nz

Miele Global Headquarters
Miele & Cie. KG
Carl-Miele-Strasse 29
D-33332 Gütersloh
Federal Republic of Germany

www.mieleshop.com.au

Foreign Sales Companies

(A)	Miele Ges.m.b.H., Wals/Salzburg
(AUS)	Miele Australia Pty. Ltd., Melbourne
(B)	N.V. Miele S.A., Mollem
(CDN)	Miele Limited, Vaughan/Ontario
(CH)	Miele AG, Spreitenbach
(CL)	Miele Ltda., Santiago de Chile
(CN)	Miele Shanghai Trading Ltd., Shanghai
(CZ)	Miele spol.s.r.o., Brno
(D)	Miele & Cie. KG, Gütersloh
(DK)	Miele A/S, Glostrup/Copenhagen
(E)	Miele S.A., Alcobendas/Madrid
(EST)	Miele OÜ, Tallinn
(F)	Miele S.A.S., Le Blanc-Mesnil/Paris
(FIN)	Miele Oy, Vantaa/Helsinki
(GB)	Miele Company Ltd., Abingdon
(GR)	Miele Hellas E.P.E., Psychiko-Athens
(H)	Miele Kft., Budapest
(HK)	Miele Hong Kong Ltd., Hong Kong
(HR)	Miele d.o.o., Zagreb
(I)	Miele Italia S.R.L., Eppan
(IND)	Miele India Pvt Ltd., New Delhi
(IRL)	Miele Ireland Ltd., Dublin
(J)	Miele Japan Corp., Shibuya-ku/Tokyo
(KZ)	Miele Liability Partnership, Almaty
(L)	Miele s.à.r.l., Luxembourg
(LT)	Miele Appliances UAB, Vilnius
(LV)	Miele SIA, Riga
(MAL)	Miele Sdn Bhd, Kuala Lumpur
(MEX)	Miele S.A. de C.V., Mexico City
(N)	Miele AS, Rud/Oslo
(NL)	Miele Nederland B.V., Vianen
(NZ)	Miele New Zealand Ltd., Auckland
(P)	Miele Portuguesa Lda., Carnaxide/Lisbon
(PL)	Miele Sp. z o. o., Warsaw
(RO)	Miele Appliances S.R.L., Otopeni
(ROK)	Miele Korea Ltd., Seoul
(RU)	000 Miele CIS, Moscow
(S)	Miele AB, Solna/Stockholm
(SGP)	Miele Pte. Ltd., Singapore
(SK)	Miele spol.s.r.o., Bratislava
(SLO)	Miele d.o.o., Ljubljana
(SRB)	Miele d.o.o., Belgrad
(TR)	Miele Elektrikli Ltd. Sti., Levent/Istanbul
(UA)	Miele LLC, Kiev
(UAE)	Miele Appliances Ltd., Dubai
(USA)	Miele, Inc., Princeton/New Jersey
(ZA)	Miele (PTY) Ltd., Bryanston/Johannesburg

Protecting the environment:
This brochure is printed on paper that is FSC accredited and bleached using an oxygen process that is elemental chlorine free.

© Miele & Cie. KG, Gütersloh
M.-Nr. 9 375 291
Alteration rights reserved (44)
01/13